

Yellow nectarine

BIG GLORY®

COV EU 43 723

3 to 4 days before Earlitop®



Early variety with a very nice presentation

Very low split cores susceptibility

Adapted in all production areas


🕒 Fruit description

- ◆ **Shape** : circular, slightly dysimetric, with a little dip at the stem end
- ◆ **Skin** : shiny dark red on the all surface of the fruit. The skin is moderately thick, without any lenticels.
- ◆ **Core** : medium sized, semi clingstone
- ◆ **Firmness** : very good
- ◆ **Flesh** : smooth and juicy.
- ◆ **Organoleptic qualities** : very good , well balanced

🏠 Production

In good production conditions, the yield can reach **25 T/Ha.**

The dominant fruit size is **A**, with an average weight of **150-160g.**



📦 Fruit at harvest time

	LOW	MEDIUM	HIGH
BRIX (%)*	9	11	
Acidity (meq / 100 g)*			17 19
Aroma intensity		5 6	

*Pimprenelle measures

🗨️ Fruit characteristics

- ◆ **Split cores susceptibility** : very weak
- ◆ **Rot susceptibility** : weak
- ◆ **Sensitivity to handling** : weak

Information on this technical bulletin 01/2022 is indicative only and strongly depends upon production conditions, harvest time, and soil/climatic conditions of the year.

This is a protected variety, which requires a license and is the subject of royalties payments.



Propagation and production can only be done with IPS agreement.

Blooming

- ◆ **Bud break** : early
- ◆ **Period**: early
- ◆ **Bloom set** : strong
- ◆ **Fruit setting** : strong
- ◆ **Thinning** : strong

Tree

- ◆ **Habit** : erect
- ◆ **Vigor** : strong
- ◆ **Wood qualities** : good
- ◆ **Shape pruning** : topping must be done during the 1st and 2nd years. Subsequently the scaffold branches will be opened by bending or pruning.
- ◆ **Regular pruning** : on stiff flowering shoots and vigorous 2 year old wood. Flowering shoots are very long and can be shorten of 1/3 of their length during the thinning.
- ◆ **Summer pruning** : indispensable in post harvest period to keep a proper light exposure in the inner part of the tree. Bearing fruit woods must be kept in closed position to favor the regrowth of new flowering shoots the following year.
- ◆ **Productivity** : strong
- ◆ **Fruit set** : very rapid



*Prunella Violette? L: 98.
A. 01/22*