

Reference variety

Regular and
homogeneous
production

Fruits of high
quality

White peach

MAURA®

COV EU 16 282

Certification : clone INFEL® n°7820

10 days after Nabby®


① Fruit description

- ◆ **Shape** : circular, slightly flattened
- ◆ **Skin** : dark red, intense and shiny, very attractive. Skin is thick, with very little fuzz.
- ◆ **Core** : medium sized, semi clingstone
- ◆ **Firmness** : good, allowing a slow evolution of the fruit
- ◆ **Flesh** : smooth and very juicy.
- ◆ **Organoleptic qualities** : very good, the fruit is well balanced with strong enhancing aromatic components

👁 Production

In good production conditions, the yield can reach **40T/Ha.**

The dominant fruit size is **A/AA**, with an average weight of **180g.**



Fruit at harvest time

	LOW	MEDIUM		HIGH	
BRIX (%)*		11	13		
Acidity (meq / 100 g)*			14	16	
Aroma intensity				7	8

*Pimprenelle measures

Information on this technical bulletin 01/2022 is indicative only and strongly depends upon production conditions, harvest time, and soil/climatic conditions of the year.

This is a protected variety, which requires a license and is the subject of royalties payments.

Propagation and production can only be done with IPS agreement.

Blooming

- ◆ **Bud break** : semi early
- ◆ **Period** : early
- ◆ **Bloom set** : medium
- ◆ **Fruit setting** : strong
- ◆ **Thinning** : medium

Tree

- ◆ **Habit** : semi erect
- ◆ **Vigor** : strong
- ◆ **Wood qualities** : good
- ◆ **Shape pruning** : summer topping must be done during the 1st and the 2nd year. Opening of the scaffold branches will be done by bending.
- ◆ **Regular pruning** : must be done on the flowering shoots, which usually are of good quality. New shoots must be selected by bending the 2 year old wood. Remove the 2 year old wood which is excessively erect.
- ◆ **Summer pruning** : essential after harvest, to encourage the development of strong flowering shoots.
- ◆ **Productivity** : strong
- ◆ **Fruit set** : rapid



Fruit characteristics

- ◆ **Split cores susceptibility** : weak
- ◆ **Rot susceptibility** : weak
- ◆ **Sensitivity to handling** : weak



*Prunella Violette 2, 1: 98.
A 01/22*