



White nectarine

QUEEN RED®

COV EU 18 117

10 days before BIG WHITE®



Medium chilling variety, product only in the concerned areas

Very nice fruit : perfect presentation and very high fruit size potential for the maturity period

① Fruit description


- ◆ **Shape** : slightly oblate, with a little dip at the stem end, without mucros
- ◆ **Skin** : shiny red on the full surface of the fruit, very attractive. The fruit skin is moderately thick without any lenticels.
- ◆ **Core** : medium sized, semi clingstone
- ◆ **Firmness** : very good
- ◆ **Flesh** : smooth and very juicy
- ◆ **Organoleptic qualities** : well balanced, aromatic



Production

In good production conditions, the yield can reach **20-25 T/Ha.**

The dominant fruit size is **A/B**, with an average weight of **130-140g.**



Fruit at harvest time

	LOW	MEDIUM	HIGH
BRIX (%)*	9	10	
Acidity (meq / 100 g)*		14	15
Aroma intensity		5 6	

* Pimprelle measures



Fruit characteristics

- ◆ **Split cores susceptibility** : weak
- ◆ **Rot susceptibility** : weak
- ◆ **Sensitivity to handling** : weak

Information
on this
technical bulletin
01/2022
is indicative only
and strongly
depends
upon production
conditions,
harvest time,
and soil/climatic
conditions
of the year.

This is
a protected variety,
which requires
a license
and is the subject
of
royalties pay-
ments.


Propagation
and
production
can only be done
with IPS agree-
ment.

🌸 Blooming

- ◆ **Bud break** : very early
- ◆ **Period** : very early
- ◆ **Bloom set** : strong
- ◆ **Fruit setting** : strong
- ◆ **Thinning** : strong

🌳 Tree

- ◆ **Habit** : erect
- ◆ **Vigor** : strong
- ◆ **Wood qualities** : good
- ◆ **Shape pruning** : topping must be done during the 1st and 2nd years, in order to open the tree habit. Scaffold branches should be opened by bending if necessary.
- ◆ **Regular pruning** : on flowering shoots with a sizable diameter. Favor the establishment of the renewal branches by bending the vigorous wood if necessary.
- ◆ **Summer pruning** : indispensable for a proper ventilation in the inner part of the tree. Post harvest pruning is needed to favor the growth of the bearing fruit wood for the following year.
- ◆ **Productivity** : very strong
- ◆ **Fruit set** : very rapid



Prunella Violette 2, 1: 98.
A. 01/22